

FB 200B

BATTERY POWERED REVERSIBLE VIBRATORY PLATE



Emission free compaction of sand, gravel and rock fill.

All our machines are versatile and easy to operate. They are also durable and reliable, which means lower operating and maintenance costs



- The Swepac FB 200B is ideal for work in areas where combustion engines should not be used, such as trenches, tunnels, urban areas or indoor construction.
- Operating time up to 2 hours thanks to the powerful 4.6 kWh Lithium-Ion battery.
- 3 hour charging time with 40 A charger
- Battery operation gives low running costs.
- Very easy to maintain and service no air filter or engine oil to change. No handling of fuel
- An easy to maneuver machine with a robust frame that protects battery and motor
- Superior ergonomics with an efficiently devibrated handle

TECHNICAL DATA – SWEPAC FB 200B	
Weight, net	225 kg
Base plate, width x leng	gth 550 x 720 mm
Height, max / min	1230 / 1150 mm
Length, max / min	1470 / 720 mm
Motor	3.0 kW IPM synchronous DC motor
Type of battery	4.6 kWh Lithium-Ion
Voltage	48 V
Centrifugal force	32 kN
Frequency	85 Hz
Working speed	0-25 m/min

Hand/arm vibrations according to ISO 5349 on gravel surface	< 2,5 m/s ²
Guaranteed sound-power level, LwA	103 dB(A)
Sound pressure level (at operator's ear), OP	89 dB(A)

PART NUMBER 306100 FB200B with 4.6 kWh onboard battery 1009314 40A Charger incl casing for FB200B/300B

ACCESSORIES	
303277	Vulkollan plate for FB200B