

F 80

Forward vibratory plate



For compaction of sand, gravel, rock fill and paving stones.

All our machine models are versatile and easy to operate. They are also durable and reliable, which means lower operating and maintenance costs.

- The Swebac F 80 is the ideal high performance all-round machine.
- With a Vulkollan® plate (accessory) attached to the base, it can compact paved areas efficiently for an even surface.
- The machine can cope with the toughest of jobs since parts of the motor and transmission are fully enclosed in a rugged polythene casing.
- The chassis and protection frame are hot-dip galvanized providing a superior corrosion protection and maintenance-free life.
- The excentric element has permanently lubricated bearings that require no maintenance.
- The handle bar can easily be removed without any tools, for instance, for transportation.

TECHNICAL DATA

SWEpac F 80

Weight, net	80 kg
Base plate, width	430 mm
Height, max / min	1050 / 900 mm
Length, max / min	1000 / 620 mm
Engine	Honda GX 160
Fuel tank capacity	3.6 liter
Fuel	Unleaded or alkylate petrol
Engine output, max	4.0 kW (5.3 hp)
Centrifugal force	14 kN
Frequency	93 Hz
Working speed	0 - 25 m/min
Hand/arm vibrations HAV according to ISO 5349 on gravel surface	4.6 m/s ²
Guaranteed sound-power level, L _{WA}	105 dB(A)
Sound pressure level (at operator's ear), OP	90 dB(A)

Part number

305300	F 80 with Honda petrol engine
--------	-------------------------------

Accessories

305322	Vulkollan plate complete
--------	--------------------------

Swebac is Sweden's leading manufacturer of soil compactors. The company has a wide range of products, with different motor options and a variety of sizes for every application. Swebac is certified for quality and environmental management under ISO 9001 and 14001, and our machines are Eurotest-certified by SMP Swedish Machinery Testing Institute. You will find detailed information about the company and our products on our website, www.swebac.com. We reserve the right to make changes in technical specifications without prior notice.

Swebac AB
Blockvägen 3 | SE-341 32 Ljungby | Sweden
Tel +46 (0)372-156 00 | www.swebac.com

SWEpac